



CSA – Customer Self Administration

7. Authorizer Activation



Generating the Authorization Key

- To generate the authorization key the Authorizer must go to

Ø My Settings

Ø Generate and Upload Key



Logon

Enter logon password



The screenshot shows a web form titled "Generate Key" with a user email "testuser@holiver.eu" in the top right. The form has a blue header bar with the title "Generate Key". Below the header, there are three input fields: "Domain ID" with the value "holiver.eu", "Authoriser ID" with the value "testuser", and "Sign-On Password" which is masked with ten asterisks. Below the fields, there is a note: "* Mandatory Field" and "Please note passwords are case sensitive." At the bottom center of the form is a blue "Submit" button.

Generate Key	
Domain ID	holiver.eu
Authoriser ID	testuser
Sign-On Password*	*****

* Mandatory Field
Please note passwords are case sensitive.

Submit

Password

- Enter the Authorization Medium password
- Repeat to confirm
- Password length should be between 6 and 8 characters



The screenshot shows a web form titled "Generate Key" with a user email address "berbuzen@hoffweir.eu" in the top right corner. The form contains the following fields:

Domain ID	hoffweir.eu
Authoriser ID	berbuzen
Key Media	Smart Card (GSD)
New Key Password *	<input type="password" value="*****"/>
Confirm Key Password*	<input type="password" value="*****"/>

Mandatory Field
Please note passwords are NOT case sensitive.




Generating the Key

- Click on the Generate button

Generate

- Message while system generates the key



Key Generated

- Key Protocol is generated and must be
 - Ø Printed
 - Ø Signed
 - Ø Forwarded to the CSA Administrator(s)
- No need to forward to DB
- Public key will activated by DB within 20 minutes

db.com | Home | Contact | Imprint | Help | Logout

db-direct internet

Global Trade Finance

Key Generation - Confirmation

Please Click here to Print.

Print

Authoriser ID	keytest
Domain ID	hotwax.eu
Key Media	Floppy Diskette
Date and Time	28.03.2008 12:00:32

Authoriser Public Key

```
89 D8 3B B9 95 B9 58 B3 E4 61 66 09 1B A8 60 8E
8E 01 8A D6 B2 E4 DC 03 08 F4 18 7C A8 4D B4 00
70 E7 E6 1C 8A F5 0C D4 E8 D6 E7 ED 00 EF 1F 14
C7 35 DE 71 53 4E E7 F5 F2 83 43 00 50 B4 50 EE
8C A2 00 6D 6A 60 4F 25 82 93 1C CF 65 B3 5F 1B
30 AB 21 DB 40 E9 C2 C5 9C 70 EE 8C 85 1B 53 95
61 11 B4 B8 EA E3 ED 28 B8 04 A9 D0 52 47 F3 C4
D8 94 8C A8 94 78 C8 73 C8 32 7F C7 66 85 38 35
```

File Hash

```
61 1B 95 B5 21 D5 91 15 2C 85 97 9B A8 7C 05 E4 DE A5 F2 07
```

I am pleased to advise that the above public key will be used by me for the approving of instructions via db-direct internet until further notice.

Signature: _____

Place / Date: _____



Summary

- The delegate will now understand :
 - Ø How to generate the Authorization key
 - Ø The subsequent steps to take

